# **Munich Cancer Registry**



- ▶ Baseline statistics
- ▶ Selection Matrix
- ▶ Homepage
- ▶ Deutsch

Munich Cancer Registry at Munich Cancer Center Marchioninistr. 15 Munich, 81377 Germany

http://www.tumorregister-muenchen.de/en


## **Cancer statistics: Survival**

### C74: Adrenal cancer

Year of diagnosis	1988-2013
Patients	229
Diseases	229
Cases evaluated	134
Creation date	05/13/2015
Export date	12/30/2014
Population	4.64 m



http://www.tumorregister-muenchen.de/en/facts/surv/surv\_C74\_\_E.pdf



**Figure 1a.** Relative survival of patients with adrenal cancer by period of diagnosis. Included in the evaluation are 134 cases diagnosed between 1988 and 2013.


The survival results of the SEER program (Surveillance, Epidemiology, and End Results) of the American National Cancer Institute (NCI) are summarized as the period of diagnosis from 1998 to 2011, and are represented by gray diamonds in order to facilitate comparisons between MCR and SEER.

The presented survival curves are derived from clinical records with valid follow-up informations, which means that death certificate cases (DCO) cases are omitted from the analysis. With this one restriction, the MCR has provided population-based statistics since 1988, collecting data on all cancer cases in the region of southern Bavaria. Historical data of previous time periods can be heavily selected, therefore, univariate survival comparisons of the presented time periods must be carefully considered. Nonetheless, all calculable survival curves are depicted to facilitate the comparison of long time follow-up analyses of relative survival between particular cancers.

	Period of diagnosis						
		1988-	1997	1998+			
		n=	38	n=96			
	Years	obs. %	rel. %	obs. %	rel. %		
	0	100.0	100.0	100.0	100.0		
	1	78.9	79.4	85.1	85.6		
	2	68.4	66.7	78.8	80.1		
	3	55.1	55.9	73.3	73.9		
	4	55.1	53.5	63.2	65.4		
	5	49.6	49.7	61.1	62.7		

**Table 1b.** Observed (obs.) and relative (rel.) survival of patients with adrenal cancer by period of diagnosis for period 1988-2013 (N=134).


Munich Cancer Registry 05/13/2015 surv C74 E.pdf



**Figure 2a.** Observed, expected and relative survival of the total cohort with adrenal cancer. Included in the evaluation are 134 cases diagnosed between 1988 and 2013.

Group						
	Total of	cohort				
	n=1	34				
Years	obs. %	rel. %				
0	100.0	100.0				
1	83.2	84.1				
2	75.5	76.2				
3	67.3	68.1				
4	61.0	62.0				
5	57.4	59.0				


**Table 2b.** Observed (obs.) and relative (rel.) survival of the total cohort with adrenal cancer for period 1988-2013 (N=134).



**Figure 3a.** Relative survival of patients with adrenal cancer by age category. Included in the evaluation are 134 cases diagnosed between 1988 and 2013.

Age category								
	0-19 yrs		20-4	9 yrs	50+ yrs			
	n=43		n=31		n=60			
Years	obs. %	rel. %	obs. %	rel. %	obs. %	rel. %		
0	100.0	100.0	100.0	100.0	100.0	100.0		
1	90.7	89.8	92.7	92.8	73.3	74.4		
2	88.3	86.9	83.9	82.1	61.9	62.5		
3			69.9	68.4	53.7	54.8		
4					44.9	46.3		
5					37.9	40.1		
_					00			


**Table 3b.** Observed (obs.) and relative (rel.) survival of patients with adrenal cancer by age category for period 1988-2013 (N=134).



**Figure 4a.** Relative survival of patients with adrenal cancer by TNM staging. For 72 of 134 cases diagnosed between 1988 and 2013 valid data could be obtained for this item. For a total of 67 cases an evaluable classification was established. The accumulated percentage exceeds the 100% value because patients are potientially considered in more than one subgroup. The grey line represents the subgroup of 67 patients with missing values regarding TNM staging (50.0% of 134 patients, the percent values of all other categories are related to n=67). Subgroups with sample size <15 are dropped from the chart.

TNM staging										
	N0 N+		M0		M1		NA/NOS			
n=27 n=11		n=27 n=11 n=21		n=38		n=67				
Years	obs. %	rel. %	obs. %	rel. %	obs. %	rel. %	obs. %	rel. %	obs. %	rel. %
0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1	96.3	96.5			95.2	95.6	61.6	62.3	89.3	89.7
2	96.3	94.2			95.2	93.8	52.0	49.6	79.5	80.7
3	91.5	90.8			95.2	92.1			70.8	71.1
4	86.4	86.0			89.3	90.2			64.4	66.5
5	86.4	83.3			89.3	86.0			59.7	62.4

**Table 4b.** Observed (obs.) and relative (rel.) survival of patients with adrenal cancer by TNM staging for period 1988-2013 (N=97).



**Figure 5a.** Observed post-progression survival of 78 patients with adrenal cancer diagnosed between 1988 and 2013 (incl. M1). These 78 patients with documented progression events during their course of disease represent 58.2% of the totally 134 evaluated cases. Patients with cancer relapse documented via death certificates only were excluded (n=3, 2.2%). Multiple progression types on different sites are included in the evaluation even when not occurring synchronously. The NOS (not otherwise specified) class is included under the condition, that it is the one and only progression type during the course of disease. Subgroups with sample size <15 are dropped from the chart.

Medical record documentation often lacks the linguistic severity to distinguish between local relapse, regional lymph node metastasis and distant spread in solid cancers. Frequently, the statement "not specified" is the only information in registries regarding relapse of the disease. The category "All types" denotes all cases who suffered from at least one relapse during the course of disease (incl. primary M1-status). Although, the real number of relapsed patients is likely to be much higher. The accumulated percentage of patients with local relapse or distant metastasis exceeds the 100% value because patients are potientially considered in more than one subgroup.

Type of progression								
	All types	Local relapse	Lymph node recurrence	Distant metastasis	NOS			
	n=78	n=22	n=4	n=68	n=6			
Months	%	%	%	%	%			
0	100.0	100.0	100.0	100.0	100.0			
12	69.9	72.7		66.9	100.0			
24	57.3			52.2	100.0			
36	43.3			38.2				
48	41.6			36.3				
60	38.0			32.3				

**Table 5b.** Observed post-progression survival of patients with adrenal cancer for period 1988-2013 (N=78).

Munich Cancer Registry 05/13/2015 surv C74 E.pdf

#### **Shortcuts**

MCR N	/lunich Cancer	Registry,	Germany	(Tumorregister	München)
-------	----------------	-----------	---------	----------------	----------

NCI National Cancer Institute, USA

SEER Surveillance, Epidemiology, and End Results, USA UICC Union for International Cancer Control, Geneva

DCO Death certificate only. The death certificate provides the only notification to the registry.

NA Not available

NOS Not otherwise specified

OS Observed/overall survival (Kaplan-Meier estimate)
RS Relative survival, compared to the general population,
ratio of observed to expected survival (Ederer II method),

reflecting excess mortality among cancer patients

AS Assembled survival chart (observed, expected, relative)

PPS Post-progression survival, survival since first relapse (Kaplan-Meier estimate)

Date of entry: Date of first locoregional recurrence, distant metastasis, unspecified

progression

Event: Death of all causes

CS Conditional survival, survival probability under the condition of surviving a given period of time

#### **Recommended Citation**

Munich Cancer Registry. Survival C74: Adrenal cancer [Internet]. 2015 [updated 2015 May 13; cited 2015 Jul 1]. Available from: http://www.tumorregister-muenchen.de/en/facts/surv/surv C74 E.pdf

#### Copyright

The content of the public web site provided by the Munich Cancer Registry is available worldwide and free of charge. All documents are free to download, utilize, copy, print-out and distribute, providing that the MCR is referenced.

#### Disclaimer

The Munich Cancer Registry reserves the right to not be responsible for the topicality, correctness, completeness or quality of the information provided. Liability claims regarding damage caused by the use of any information provided, including any kind of information which is incomplete or incorrect, will therefore be rejected.

### Index of figures and tables

Fig./Tbl.		Page
1a Relative sur	vival by period of diagnosis (chart)	2
1b Survival by բ	period of diagnosis (table)	2
2a Survival of to	otal cohort (chart)	3
2b Survival of to	total cohort (table)	3
3a Relative sur	vival by age category (chart)	4
3b Survival by a	age category (table)	4
4a Relative sur	vival by TNM staging (chart)	5
4b Survival by	TNM staging (table)	5
5a Observed po	ost-progression survival (chart)	6
5b Observed po	ost-progression survival (table)	6

